


DESKTOPS

 **Melamine top:** 25 mm of thickness. Recoated chipboard with melamine of 120 grs/m² in both faces with a density of 600 Kg/m³ ± 5 %. ABS edges all around the top with a bevel of 2 mm. Edges are fixed with melted glue and rounded in shape.

Finishes: graphite, white, grey, beech, maple, pear, wengue, light acacia, dark acacia, black, oak or dark oak.

 **HPL (High Pressure Laminate) top:** 25 mm of thickness. Recoated chipboard with decorative plastic laminate of 0,8 mm of thickness with a density of 600 Kg/m³ ± 5 %. ABS edges all around the top with a bevel of 2 mm. Edges are fixed with melted glue and rounded in shape.

Finishes: graphite, white, grey, beech, maple, pear, wengue, light acacia, dark acacia, black, oak or dark oak.



Tops are fixed to the structure of the table with DIN 912 M6 x 14 white-zinc screws.

Structure has 4 fixing drillings for the top.





FRAME



Base: 9 mm round steel sheet of 580 x 580 mm.



Glides with levellers (M6 and ± 1 cm height) for more stability.



Central column: Steel round column of $\varnothing 75 \times 1,2$. Two steel sheets are welded in each side of the column with MIG system.





Two steel sheets are joined to the other components with M8 screws and washers.



Square clamping plate: of 2,5 mm thick and 300 x 300 mm. 4 fixing drillings for the top.




Available finishes: silver epoxy paint (RAL 9006), white (RAL 9016), graphite (RAL 7022), black (RAL 9005) or chrome.




MEASUREMENTS (cm)


ROUND TABLE:



OVAL TABLE:




OVAL TABLE - PARTS:



FINISHES

MELAMINE DESKTOPS



TEXTURED MELAMINE DESKTOPS



FRAME

